## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

Καινοτόμο, ανώτερης κατηγορίας πλυστικό κρύου νερού με εργονομικό και ανθεκτικό σχεδιασμό και νέα βιομηχανική αντλία NA6 .
Η βιομηχανική κατηγορία πλυστικών κρύου νερού MC 6P, συνδυάζει ασυναγώνιστη διάρκεια ζωής, υψηλή απόδοση καθαρισμού και βέλτιστη εργονομία ως η πιο ανταγωνιστική γκάμα ισχυρών πιεστικών καθαριστικών για βιομηχανία,γεωργία, ναυτιλία, στον τομέα των μεταφορών και της βιομηχανίας τροφίμων.

- Αντλία NA6 με 4 κεραμικά έμβολα και με 80°C θερμοκρασία εισόδου
- Σκληρός και ανθεκτικός σχεδιασμός με 30 χιλιοστά ατσάλινο πλαίσιο
- Βέλτιστη αποθήκευση και μεταφορά με αναδιπλούμενη λαβή και σημεία ανύψωσης
- Υψηλή κινητικότητα με μεγάλους τροχούς πίσω και μπροστινό περιστρεφ/νο τροχό με φρένο
- Εύκολη πρόσβαση στην αντλία, σχεδιασμός για εύκολο service
- Σύστημα Ergo για εύκολη σύνδεση εξαρτημάτων
- Σύστημα ελέγχου ενεργής ροής (FA)
- Ασφάλεια λειτουργίας χαμηλής στάθμης λαδιού αντλίας
- Ρύθμιση ροής νερού στην αντλία
- 2πλή βαλβίδα απορρυπαντικού και 2 δοχεία απορρυπαντικού



Picture shown may not represent model quoted

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
| **ΣΥΣΤΗΜΑ ΣΥΝΔΕΣΗΣ ERGO** | | | | | | |
|  | ERGO COUPLING KIT | 101119496 | 1 | • | • | • |
| **High Pressure Female Coupling** | | | | | | |
|  | HOSE NOZZLE 20R3/4 | 61369 | 1 | • | • | • |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN8** | | | | | | |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN10** | | | | | | |
|  | HOSE DN10 10 M 2W 3/8X3/8 INCH | 6101766 | 1 | • | | • |

NILFISK

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Included accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HP HOSE DN10 150DEG L15000mm | 1402064 | 1 | | • | |
| **ΛΑΣΤΙΧΑ ΠΟΥ ΔΕΝ ΑΦΗΝΟΥΝ ΣΗΜΑΔΙΑ, DN10** | | | | | | |
|  | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 1 | | | |
| **Hose Reel** | | | | | | |
|  | HOSE REEL COMPLETE | 106403143 | 1 | | • | |
| **ΠΙΣΤΟΛΙΑ ΣΚΑΝΔΑΛΗΣ** | | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • | • |
|  | HIGH FLOW SPRAY HANDLE | 106404530 | 0 | • | • | • |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | | | |
| **ΛΟΓΧΗ TORNADO** | | | | | | |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | • | • | • |
| **ΛΟΓΧΗ TURBOHAMMER** | | | | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0550 | 106402292 | 0 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 1 | | • | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 1 | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Included accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000 | 106403078 | 1 | | | |
| **TORNADO ΑΚΡΟΦΥΣΙΟ ΜΕ ΧΡΩΜΑΤΙΚΗ ΕΝΔΕΙΞΗ** | | | | | | |
|  | NOZZLE 0500 INDICATION RING YELLOW | 101119741 | 0 | | | |
|  | NOZZLE 0550 INDICATION RING NEONGREEN | 101119743 | 0 | | | |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 1 | | | |
|  | NOZZLE 0700 INDICATION RING ORANGE | 101119748 | 1 | | | • |
|  | NOZZLE 1300 - INDICATION RING BROWN | 101119760 | 1 | | | |
|  | NOZZLE 1500 INDICATION RING OLIVE | 101119762 | 0 | | | |
|  | TORNADO NOZZLE 0475 | 301150005 | 0 | • | • | |
|  | TORNADO NOZZLE 0950 DARK ROSE | 101117655 | 1 | | | |
| **ΕΞΟΠΛΙΣΜΟΣ ΧΗΜΙΚΩΝ** | | | | | | |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
| **ΣΥΣΤΗΜΑ ΣΥΝΔΕΣΗΣ ERGO** | | | | | | |
|  | ERGO COUPLING KIT | 101119496 | 1 | ● | ● | ● |
| **High Pressure Female Coupling** | | | | | | |
|  | HOSE NOZZLE 20R3/4 | 61369 | 1 | ● | ● | ● |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN8** | | | | | | |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN10** | | | | | | |
|  | HOSE DN10 10 M 2W 3/8X3/8 INCH | 6101766 | 1 | ● | | |
|  | HP HOSE DN10 150DEG L15000mm | 1402064 | 1 | | ● | ● |
| **ΛΑΣΤΙΧΑ ΠΟΥ ΔΕΝ ΑΦΗΝΟΥΝ ΣΗΜΑΔΙΑ, DN10** | | | | | | |
|  | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 1 | | | |
| **Hose Reel** | | | | | | |
|  | HOSE REEL COMPLETE | 106403143 | 1 | | ● | ● |
| **ΠΙΣΤΟΛΙΑ ΣΚΑΝΔΑΛΗΣ** | | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | ● | ● | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Included accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HIGH FLOW SPRAY HANDLE | 106404530 | 0 | • | • | • |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | | | • |
| **ΛΟΓΧΗ TORNADO** | | | | | | |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | • | • | • |
| **ΛΟΓΧΗ TURBOHAMMER** | | | | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0550 | 106402292 | 0 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 1 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 1 | | • | |
|  | TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000 | 106403078 | 1 | | | • |
| **TORNADO ΑΚΡΟΦΥΣΙΟ ΜΕ ΧΡΩΜΑΤΙΚΗ ΕΝΔΕΙΞΗ** | | | | | | |
|  | NOZZLE 0500 INDICATION RING YELLOW | 101119741 | 0 | | | |
|  | NOZZLE 0550 INDICATION RING NEONGREEN | 101119743 | 0 | | | |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 1 | | | |
|  | NOZZLE 0700 INDICATION RING ORANGE | 101119748 | 1 | | • | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Included accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NOZZLE 1300 - INDICATION RING BROWN | 101119760 | 1 | | | |
|  | NOZZLE 1500 INDICATION RING OLIVE | 101119762 | 0 | | | |
|  | TORNADO NOZZLE 0475 | 301150005 | 0 | | | |
|  | TORNADO NOZZLE 0950 DARK ROSE | 101117655 | 1 | • | | • |
| **ΕΞΟΠΛΙΣΜΟΣ ΧΗΜΙΚΩΝ** | | | | | | |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | | | |

● Standard equipment

| Included accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
| **ΣΥΣΤΗΜΑ ΣΥΝΔΕΣΗΣ ERGO** | | | | | |
|  | ERGO COUPLING KIT | 101119496 | 1 | • | • |
| **High Pressure Female Coupling** | | | | | |
|  | HOSE NOZZLE 20R3/4 | 61369 | 1 | • | • |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN8** | | | | | |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | | • |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN10** | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Included accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | HOSE DN10 10 M 2W 3/8X3/8 INCH | 6101766 | 1 | | |
|  | HP HOSE DN10 150DEG L15000mm | 1402064 | 1 | | |
| **ΛΑΣΤΙΧΑ ΠΟΥ ΔΕΝ ΑΦΗΝΟΥΝ ΣΗΜΑΔΙΑ, DN10** | | | | | |
|  | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 1 | • | |
| **Hose Reel** | | | | | |
|  | HOSE REEL COMPLETE | 106403143 | 1 | | • |
| **ΠΙΣΤΟΛΙΑ ΣΚΑΝΔΑΛΗΣ** | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • |
|  | HIGH FLOW SPRAY HANDLE | 106404530 | 0 | | • |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | | |
| **ΛΟΓΧΗ TORNADO** | | | | | |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | • | • |
| **ΛΟΓΧΗ TURBOHAMMER** | | | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0550 | 106402292 | 0 | | • |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 1 | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Included accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 1 | | |
|  | TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000 | 106403078 | 1 | | |
| **TORNADO ΑΚΡΟΦΥΣΙΟ ΜΕ ΧΡΩΜΑΤΙΚΗ ΕΝΔΕΙΞΗ** | | | | | |
|  | NOZZLE 0500 INDICATION RING YELLOW | 101119741 | 0 | | |
|  | NOZZLE 0550 INDICATION RING NEONGREEN | 101119743 | 0 | | • |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 1 | | |
|  | NOZZLE 0700 INDICATION RING ORANGE | 101119748 | 1 | | |
|  | NOZZLE 1300 - INDICATION RING BROWN | 101119760 | 1 | • | |
|  | NOZZLE 1500 INDICATION RING OLIVE | 101119762 | 0 | | |
|  | TORNADO NOZZLE 0475 | 301150005 | 0 | | |
|  | TORNADO NOZZLE 0950 DARK ROSE | 101117655 | 1 | | |
| **ΕΞΟΠΛΙΣΜΟΣ ΧΗΜΙΚΩΝ** | | | | | |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Model | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|
| Ref. no. | 107146751 | 107146758 | 107146752 |
| PRODUCT FEATURES | | | |
| ΔΟΧΕΙΟ ΑΠΟΡΡΥΠΑΝΤΙΚΟΥ (L) | • | • | • |
| ΑΝΟΞΕΙΔΩΤΟΣ ΣΚΕΛΕΤΟΣ | | | |
| ΤΡΙΦΑΣΙΚΟ (3 PH) | • | • | • |
| ΑΝΕΜΗ | | • | |
| Robust steel chassis and frame | • | • | • |
| Food industry wheels and hose | | | |
| Σύστημα προειδοποίησης λαδιού αντλίας | • | • | • |
| ΜΕΓΑΛΟΙ ΤΡΟΧΟΙ ΚΑΙ ΑΝΕΤΗ ΛΑΒΗ | • | • | • |
| ΧΕΙΡΟΦΡΕΝΟ | • | • | • |
| ΡΥΘΜΙΖΟΜΕΝΗ ΧΕΙΡΟΛΑΒΗ | • | • | • |
| ΑΠΟΘΗΚΕΥΣΗ ΛΟΓΧΗΣ ΚΑΙ ΠΙΣΤΟΛΙΟΥ | • | • | • |
| ΑΠΟΘΗΚΕΥΣΗ ΗΛΕΚΤΡ. ΚΑΛΩΔΙΟΥ | • | • | • |
| ΚΕΡΑΜΙΚΑ ΕΜΒΟΛΑ | • | • | • |
| Flow-activated control system | • | • | • |
| NA6 - 4 ceramic piston pump | • | • | • |
| Delayed automatic start stop | • | • | • |
| 2 x detergent injector | • | • | • |

| Model | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|
| Ref. no. | 107146755 | 107146759 | 107146761 |
| PRODUCT FEATURES | | | |
| ΔΟΧΕΙΟ ΑΠΟΡΡΥΠΑΝΤΙΚΟΥ (L) | • | • | • |
| ΑΝΟΞΕΙΔΩΤΟΣ ΣΚΕΛΕΤΟΣ | | | |
| ΤΡΙΦΑΣΙΚΟ (3 PH) | • | • | • |
| ΑΝΕΜΗ | | • | • |
| Robust steel chassis and frame | • | • | • |
| Food industry wheels and hose | | | |
| Σύστημα προειδοποίησης λαδιού αντλίας | • | • | • |
| ΜΕΓΑΛΟΙ ΤΡΟΧΟΙ ΚΑΙ ΑΝΕΤΗ ΛΑΒΗ | • | • | • |
| ΧΕΙΡΟΦΡΕΝΟ | • | • | • |
| ΡΥΘΜΙΖΟΜΕΝΗ ΧΕΙΡΟΛΑΒΗ | • | • | • |
| ΑΠΟΘΗΚΕΥΣΗ ΛΟΓΧΗΣ ΚΑΙ ΠΙΣΤΟΛΙΟΥ | • | • | • |
| ΑΠΟΘΗΚΕΥΣΗ ΗΛΕΚΤΡ. ΚΑΛΩΔΙΟΥ | • | • | • |
| ΚΕΡΑΜΙΚΑ ΕΜΒΟΛΑ | • | • | • |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Model | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|
| Ref. no. | 107146755 | 107146759 | 107146761 |
| PRODUCT FEATURES | | | |
| Flow-activated control system | • | • | • |
| NA6 - 4 ceramic piston pump | • | • | • |
| Delayed automatic start stop | • | • | • |
| 2 x detergent injector | • | • | • |

| Model | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|
| Ref. no. | 107146763 | 107146772 |
| PRODUCT FEATURES | | |
| ΔΟΧΕΙΟ ΑΠΟΡΡΥΠΑΝΤΙΚΟΥ (L) | • | • |
| ΑΝΟΞΕΙΔΩΤΟΣ ΣΚΕΛΕΤΟΣ | • | |
| ΤΡΙΦΑΣΙΚΟ (3 PH) | • | • |
| ΑΝΕΜΗ | | • |
| Robust steel chassis and frame | • | • |
| Food industry wheels and hose | • | |
| Σύστημα προειδοποίησης λαδιού αντλίας | • | • |
| ΜΕΓΑΛΟΙ ΤΡΟΧΟΙ ΚΑΙ ΑΝΕΤΗ ΛΑΒΗ | • | • |
| ΧΕΙΡΟΦΡΕΝΟ | • | • |
| ΡΥΘΜΙΖΟΜΕΝΗ ΧΕΙΡΟΛΑΒΗ | • | • |
| ΑΠΟΘΗΚΕΥΣΗ ΛΟΓΧΗΣ ΚΑΙ ΠΙΣΤΟΛΙΟΥ | • | • |
| ΑΠΟΘΗΚΕΥΣΗ ΗΛΕΚΤΡ. ΚΑΛΩΔΙΟΥ | • | • |
| ΚΕΡΑΜΙΚΑ ΕΜΒΟΛΑ | • | • |
| Flow-activated control system | • | • |
| NA6 - 4 ceramic piston pump | • | • |
| Delayed automatic start stop | • | • |
| 2 x detergent injector | • | • |

| Technical specifications | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|
| ΠΙΕΣΗ ΑΝΤΛΙΑΣ (BAR/MPA) | 250/25 | 250/25 | 180/18 |
| ΔΥΝΑΜΗ ΚΑΘΑΡΙΣΜΟΥ (KG/FORCE) | 6.4 | 6.4 | 6.5 |
| ΑΝΤΛΙΑ (RPM) | 1450 | 1450 | 1450 |
| ΙΣΧΥΣ (KW) | 8.3 | 8.8 | 7.4 |
| ΗΛΕΚΤΡΙΚΗ ΤΡΟΦΟΔΟΣΙΑ (V/~/HZ/A) | 400/3/50/15 | 400/3/50/15.5 | 400/3/50/14.5 |
| ΡΟΗ ΝΕΡΟΥ qmax/qiec (L/H) | 1100/1010 | 1100/1010 | 1300/1200 |
| ΜΗΚΟΣ ΚΑΛΩΔΙΟΥ (M) | 8 | 8 | 8 |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Technical specifications | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|
| ΜΕΓΕΘΟΣ ΑΚΡΟΦΥΣΙΟΥ | .0475 | .0475 | .0700 |
| ΜΕΓΙΣΤΗ ΘΕΡΜΟΚΡΑΣΙΑ ΕΙΣΟΔΟΥ (°C) | 80 | 80 | 80 |
| ΚΕΡΑΜΙΚΑ ΕΜΒΟΛΑ | 4 | 4 | 4 |
| ΜΗΚΟΣ Χ ΠΛΑΤΟΣ Χ ΥΨΟΣ (MM) | 775x570x1020 | 930x570x1020 | 775x570x1020 |
| SUCTION HEIGHT DRY (M) | 1 | 1 | 1 |
| ΒΑΡΟΣ (KG) | 89 | 96 | 86 |
| Recommended avg. hours of use per day | 6 | 6 | 6 |

| Technical specifications | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|
| ΠΙΕΣΗ ΑΝΤΛΙΑΣ (BAR/MPA) | 170/17 | 180/18 | 170/17 |
| ΔΥΝΑΜΗ ΚΑΘΑΡΙΣΜΟΥ (KG/FORCE) | 7.9 | 6.5 | 7.9 |
| ΑΝΤΛΙΑ (RPM) | 1450 | 1450 | 1450 |
| ΙΣΧΥΣ (KW) | 8.8 | 7.7 | 9 |
| ΗΛΕΚΤΡΙΚΗ ΤΡΟΦΟΔΟΣΙΑ (V/~/HZ/A) | 400/3/50/16 | 400/3/50/14.5 | 400/3/50/16 |
| ΡΟΗ ΝΕΡΟΥ qmax/qiec (L/H) | 1600/1500 | 1300/1200 | 1600/1500 |
| ΜΗΚΟΣ ΚΑΛΩΔΙΟΥ (M) | 8 | 8 | 8 |
| ΜΕΓΕΘΟΣ ΑΚΡΟΦΥΣΙΟΥ | .0950 | .0700 | .0950 |
| ΜΕΓΙΣΤΗ ΘΕΡΜΟΚΡΑΣΙΑ ΕΙΣΟΔΟΥ (°C) | 80 | 80 | 80 |
| ΚΕΡΑΜΙΚΑ ΕΜΒΟΛΑ | 4 | 4 | 4 |
| ΜΗΚΟΣ Χ ΠΛΑΤΟΣ Χ ΥΨΟΣ (MM) | 775x570x1020 | 930x570x1020 | 930x570x1020 |
| SUCTION HEIGHT DRY (M) | 1 | 1 | 1 |
| ΒΑΡΟΣ (KG) | 89 | 93 | 96 |
| Recommended avg. hours of use per day | 6 | 6 | 6 |

| Technical specifications | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|
| ΠΙΕΣΗ ΑΝΤΛΙΑΣ (BAR/MPA) | 100/10 | 200/20 |
| ΔΥΝΑΜΗ ΚΑΘΑΡΙΣΜΟΥ (KG/FORCE) | 6.1 | 5.6 |
| ΑΝΤΛΙΑ (RPM) | 1450 | 1450 |
| ΙΣΧΥΣ (KW) | 5.7 | 7.3 |
| ΗΛΕΚΤΡΙΚΗ ΤΡΟΦΟΔΟΣΙΑ (V/~/HZ/A) | 400/3/50/10 | 400/3/50/13 |
| ΡΟΗ ΝΕΡΟΥ qmax/qiec (L/H) | 1600/1500 | 1100/1000 |
| ΜΗΚΟΣ ΚΑΛΩΔΙΟΥ (M) | 8 | 5 |
| ΜΕΓΕΘΟΣ ΑΚΡΟΦΥΣΙΟΥ | .1300 | .0550 |
| ΜΕΓΙΣΤΗ ΘΕΡΜΟΚΡΑΣΙΑ ΕΙΣΟΔΟΥ (°C) | 80 | 80 |
| ΚΕΡΑΜΙΚΑ ΕΜΒΟΛΑ | 4 | 4 |
| ΜΗΚΟΣ Χ ΠΛΑΤΟΣ Χ ΥΨΟΣ (MM) | 775x570x1020 | 930x570x1020 |
| SUCTION HEIGHT DRY (M) | 1 | 1 |

NILFISK

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία


| Technical specifications | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|
| ΒΑΡΟΣ (KG) | 80 | 85 |
| Recommended avg. hours of use per day | 6 | 6 |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
| **Standard Nozzle 50° 1/8" NPT** | | | | | | |
|  | HP NOZZLE 50070 1/8 | 5007 | 0 | | | ○ |
| **Special Nozzle** | | | | | | |
|  | CONTAINER CLEANING NOZZLE | 15861 | 1 | ○ | ○ | ○ |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 1 | ○ | ○ | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ | ○ |
|  | VARIO-NOZZLE CASING 1/8 | 5888 | 1 | ○ | ○ | ○ |
| **Hose and Connection** | | | | | | |
|  | HOSE GUIDE COMPLETE | 101118105 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 1 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 1 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 1 | ○ | ○ | ○ |
|  | WATER INLET HOSE 3/4 P/ | 6465 | 1 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159 | 1 | ○ | ○ | ○ |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ | ○ |
| **High Pressure Female Coupling** | | | | | | |
|  | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 1 | ○ | ○ | ○ |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 1 | ○ | ○ | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HOSE NOZZLE 20R3/4 | 61369 | 1 | • | • | • |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ | ○ |
| **Standard Nozzle 25° 1/8" NPT** | | | | | | |
|  | HP NOZZLE 25045 1/8 | 8528 | 1 | ○ | ○ | |
|  | HP NOZZLE 25050 1/8 INCH NPT | 7813 | 1 | ○ | ○ | |
|  | HP NOZZLE 25065 1/8 INCH NPT | 7815 | 1 | | | ○ |
|  | HP NOZZLE 25070 1/8 INCH NPT | 2507 | 0 | | | ○ |
| **Standard Nozzle 0° 1/8" NPT** | | | | | | |
|  | HP-NOZZLE 0050 1/8 | 17387 | 1 | | | |
|  | HP-NOZZLE 0070 1/8 | 7820 | 0 | | | ○ |
| **Abrasive Blasting** | | | | | | |
|  | ARMEX-POWDER | 5218617 | 1 | ○ | ○ | ○ |
|  | LANCE SOFTBLASTING W. NOZZLE 05 | 6401233 | 1 | ○ | ○ | |
|  | LANCE WITH RUBBER FLAT NOZZLE 05 | 6401364 | 1 | ○ | ○ | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | LANCE WITH RUBBER FLAT NOZZLE 06 | 6401365 | 1 | ○ | ○ | ○ |
|  | SAND PLUGER AND HOSE VSB | 6400375 | 1 | ○ | ○ | ○ |
|  | SUPER BLAST 25KG | 8379 | 1 | ○ | ○ | ○ |
| **ΒΟΥΡΤΣΕΣ ΚΑΘΑΡΙΣΜΟΥ** | | | | | | |
|  | BRUSH INSERT | 10356 | 1 | ○ | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ | ○ |
| **Liquid Sprayer** | | | | | | |
|  | 8P PRESPRAY UNIT | 25598 | 1 | ○ | ○ | ○ |
|  | LIQUID SPRAYER 5S | 7110005 | 1 | ○ | ○ | ○ |
|  | LIQUID SPRAYER 10SP | 7110010 | 1 | ○ | ○ | ○ |
|  | LIQUID SPRAYER 20S | 7110020 | 1 | ○ | ○ | ○ |
| **Standard Nozzle 15° 1/8" NPT** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HP NOZZLE 15050 1/8 | 41394 | 0 | | | |
| | | | | | | |
|  | TURBOHAMMER NOZZLE W11 050 | 48872 | 1 | | | |
|  | TURBOHAMMER NOZZLE W11 070 | 48981 | 1 | | | ○ |
|  | TURBOHAMMER NOZZLE W12 050 | 301001108 | 1 | ○ | ○ | |
| **ΦΙΛΤΡΑ ΕΙΣΑΓΩΓΗΣ** | | | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ | ○ |
|  | FILTER - WATER/SAND. SS | 4601431 | 1 | ○ | ○ | ○ |
|  | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ | ○ |
|  | SANDFILTER FOR WBT KIT | 106403165 | 1 | ○ | ○ | ○ |
|  | SANDFILTER RACKED KIT P5 PA/FA P6-P7FA | 106403142 | 1 | ○ | ○ | ○ |
|  | SUCTION FILTER 3 M HOSE | 61256 | 1 | ○ | ○ | ○ |
|  | WATER BRAKE TANK KIT | 106403144 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ | ○ |
| **ΛΟΓΧΗ FLEXOPOWER** | | | | | | |
|  | FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD | 63251 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΠΟΥ ΔΕΝ ΑΦΗΝΟΥΝ ΣΗΜΑΔΙΑ, DN10** | | | | | | |
|  | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 1 | ○ | ○ | ○ |
|  | 25 M 2 WIRE HOSE 3/8 FOOD | 1402007 | 1 | ○ | ○ | ○ |
|  | 30 M 2 WIRE HOSE 3/8 FOOD | 1402015 | 1 | ○ | ○ | ○ |
|  | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 1 | ○ | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN10** | | | | | | |
|  | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 1 | ○ | ○ | ○ |
|  | 3 M 2 WIRE HOSE 3/8 DN10 | 1402932 | 1 | ○ | ○ | ○ |
|  | 5 M 2 WIRE HOSE 3/8 DN10 | 1402940 | 1 | ○ | ○ | ○ |
|  | 25 M 2 WIRE HOSE 3/8 DN10 | 1402080 | 1 | ○ | ○ | ○ |
|  | 30 M 2 WIRE HOSE 3/8 DN10 | 1402098 | 1 | ○ | ○ | ○ |
|  | 50 M 2 WIRE HOSE 3/8 DN10 | 1402759 | 1 | ○ | ○ | ○ |
|  | HOSE DN10 10 M 2W 3/8X3/8 INCH | 6101766 | 1 | ● | ○ | ● |
|  | HP HOSE 3/8INCH 1M DN10. COMPL. | 1402916 | 1 | ○ | ○ | ○ |
|  | HP HOSE DN10 150DEG L15000mm | 1402064 | 1 | ○ | ● | ○ |
|  | M 20 WIRE HOSE 3/8 DN10 | 1402072 | 1 | ○ | ○ | ○ |
| **ΣΥΣΤΗΜΑ ΣΥΝΔΕΣΗΣ ERGO** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ | ○ |
|  | ERGO COUPLING KIT | 101119496 | 1 | • | • | • |
|  | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ | ○ |
|  | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ | ○ |
|  | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ | ○ |
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 1 | ○ | ○ | ○ |
|  | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **ΕΞΟΠΛΙΣΜΟΣ ΑΠΟΦΡΑΞΕΩΝ** | | | | | | |
|  | DRAIN CLEANER 05 20M HOSE | 6401266 | 1 | ○ | ○ | |
|  | DRAIN CLEANER 06 20M HOSE | 6401268 | 1 | | | |
|  | DRAIN NOZZLE 05 3/8 | 2800084 | 1 | ○ | ○ | |
|  | DRAIN NOZZLE 06. 3/8 | 2800894 | 0 | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | ○ | ○ | |
|  | PIPE CLEANING HOSE 4X20M | 301002491 | 0 | ○ | ○ | |
|  | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | ○ | ○ | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN12** | | | | | | |
|  | 15 M 2 WIRE HOSE 1/2 DN12 | 4810213 | 1 | ○ | ○ | ○ |
| **ΠΕΡΙΣΤΡΟΦΙΚΕΣ ΒΟΥΡΤΣΕΣ** | | | | | | |
|  | BRISTLE. LONG | 6401431 | 1 | ○ | ○ | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ | ○ |
|  | ROTARY BRUSH 055 1700MM | 6400019 | 1 | ○ | ○ | |
|  | ROTARY BRUSH 055 L800 MM | 6400018 | 1 | ○ | ○ | |
|  | ROTARY BRUSH 065 L1700 MM | 6400016 | 1 | | | ○ |
|  | ΜΠΡΟΥΤΖΙΝΗ ΤΡΙΧΑ, ΣΚΛΗΡΗ | 6401433 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 1 | ○ | ○ | ○ |
|  | HOSE REEL COMPLETE | 106403143 | 1 | ○ | ● | ○ |
|  | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | ○ | ○ |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 1 | ○ | ○ | ○ |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 1 | ○ | | ○ |
| **ΕΞΟΠΛΙΣΜΟΣ ΧΗΜΙΚΩΝ** | | | | | | |
|  | 03 INJECTOR COMPLETE | 6401247 | 1 | ○ | ○ | ○ |
|  | BOTTLE FOR FOAM SPRAYER 2 L | 106408164 | 1 | ○ | ○ | |
|  | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 2 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR AGRESSIVE LQDS | 6401245 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR W BYPASS | 6401242 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR W BYPASS S. S | 6401243 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR STANDARD | 6401244 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR STANDARD P8 | 106402248 | 1 | | | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ | ○ |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | ○ | ○ | ○ |
| **TORNADO ΑΚΡΟΦΥΣΙΟ ΜΕ ΧΡΩΜΑΤΙΚΗ ΕΝΔΕΙΞΗ** | | | | | | |
|  | NOZZLE 0500 INDICATION RING YELLOW | 101119741 | 0 | | | |
|  | NOZZLE 0550 INDICATION RING NEONGREEN | 101119743 | 0 | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 1 | | ○ | ○ |
|  | NOZZLE 0700 INDICATION RING ORANGE | 101119748 | 1 | | | • |
|  | NOZZLE 1300 - INDICATION RING BROWN | 101119760 | 1 | | | |
|  | NOZZLE 1500 INDICATION RING OLIVE | 101119762 | 0 | | | |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 1 | ○ | ○ | ○ |
|  | TORNADO NOZZLE 0475 | 301150005 | 0 | • | • | |
|  | TORNADO NOZZLE 0950 DARK ROSE | 101117655 | 1 | | | |
| **ΠΙΣΤΟΛΙΑ ΣΚΑΝΔΑΛΗΣ** | | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • | • |
|  | HIGH FLOW SPRAY HANDLE | 106404530 | 0 | • | • | • |
|  | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ | ○ |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ | ○ |
| **Other** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | CRANE ROUNDSLING 1000KG 50CM | 106403160 | 1 | ○ | ○ | ○ |
|  | FRONT WHEEL KIT | 106403145 | 1 | ○ | ○ | ○ |
|  | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ | ○ |
| **ΚΟΝΤΕΣ ΛΟΓΧΕΣ** | | | | | | |
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ | ○ |
| **ΛΟΓΧΗ TURBOHAMMER** | | | | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0550 | 106402292 | 0 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0450 | 106402290 | 1 | ○ | ○ | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 1 | ○ | ● | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 1 | | | ○ |
|  | TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000 | 106403078 | 1 | | | |
|  | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | ○ | ○ | |
| **ΛΟΓΧΗ TORNADO** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ | ○ |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ | ○ |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | ● | ● | ● |
|  | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ | ○ |
| **ΛΟΓΧΗ POWERSPEED VARIO** | | | | | | |
|  | POWERSPEED VARIO PLUS 770 BEND 0500 | 106403023 | 1 | ○ | ○ | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0500 | 106403093 | 1 | ○ | ○ | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0680 | 106403096 | 1 | | | ○ |
|  | POWERSPEED VARIO PLUS 1090 BEND 0950 | 106403110 | 1 | | | |
| **ΛΟΓΧΗ UNIVERSAL** | | | | | | |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-250/1100 FA 400/3/50 EU | MC 6P-250/1100 FAXT 400/3/50 EU | MC 6P-180/1300 FA 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN8** | | | | | | |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | | | |
| **ΚΑΘΑΡΙΣΜΟΣ ΔΑΠΕΔΩΝ** | | | | | | |
|  | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | ○ | ○ | ○ |
|  | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | ○ | ○ | ○ |
|  | HYDROSCRUB S500 Ø500 W/O NOZZLES | 106403158 | 0 | ○ | ○ | ○ |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
| **Standard Nozzle 50° 1/8" NPT** | | | | | | |
|  | HP NOZZLE 50070 1/8 | 5007 | 0 | | ○ | |
| **Special Nozzle** | | | | | | |


All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | CONTAINER CLEANING NOZZLE | 15861 | 1 | ○ | ○ | ○ |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 1 | ○ | ○ | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ | ○ |
|  | VARIO-NOZZLE CASING 1/8 | 5888 | 1 | ○ | ○ | ○ |
| **Hose and Connection** | | | | | | |
|  | HOSE GUIDE COMPLETE | 101118105 | 0 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 1 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 1 | ○ | ○ | ○ |
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 1 | ○ | ○ | ○ |
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 1 | ○ | ○ | ○ |
|  | WATER INLET HOSE 3/4 P/ | 6465 | 1 | ○ | ○ | ○ |
| **High Pressure Male Coupling** | | | | | | |
|  | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ | ○ |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ | ○ |
| **High Pressure Female Coupling** | | | | | | |
|  | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 1 | ○ | ○ | ○ |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 1 | ○ | ○ | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 1 | • | • | • |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ | ○ |
| **Standard Nozzle 25° 1/8" NPT** | | | | | | |
|  | HP NOZZLE 25045 1/8 | 8528 | 1 | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HP NOZZLE 25050 1/8 INCH NPT | 7813 | 1 | | | |
|  | HP NOZZLE 25065 1/8 INCH NPT | 7815 | 1 | | ○ | |
|  | HP NOZZLE 25070 1/8 INCH NPT | 2507 | 0 | | ○ | |
| **Standard Nozzle 0° 1/8" NPT** | | | | | | |
|  | HP-NOZZLE 0050 1/8 | 17387 | 1 | | | |
|  | HP-NOZZLE 0070 1/8 | 7820 | 0 | | ○ | |
| **Abrasive Blasting** | | | | | | |
|  | ARMEX-POWDER | 5218617 | 1 | ○ | ○ | ○ |
|  | LANCE SOFTBLASTING W. NOZZLE 05 | 6401233 | 1 | | | |
|  | LANCE WITH RUBBER FLAT NOZZLE 05 | 6401364 | 1 | | | |
|  | LANCE WITH RUBBER FLAT NOZZLE 06 | 6401365 | 1 | ○ | ○ | ○ |
|  | SAND PLUGER AND HOSE VSB | 6400375 | 1 | | ○ | |
|  | SUPER BLAST 25KG | 8379 | 1 | ○ | ○ | ○ |
| **ΒΟΥΡΤΣΕΣ ΚΑΘΑΡΙΣΜΟΥ** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | BRUSH INSERT | 10356 | 1 | ○ | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ | ○ |
|  | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ | ○ |
| **Liquid Sprayer** | | | | | | |
|  | 8P PRESPRAY UNIT | 25598 | 1 | ○ | ○ | ○ |
|  | LIQUID SPRAYER 5S | 7110005 | 1 | ○ | ○ | ○ |
|  | LIQUID SPRAYER 10SP | 7110010 | 1 | ○ | ○ | ○ |
|  | LIQUID SPRAYER 20S | 7110020 | 1 | ○ | ○ | ○ |
| **Standard Nozzle 15° 1/8" NPT** | | | | | | |
|  | HP NOZZLE 15050 1/8 | 41394 | 0 | | | |
| | | | | | | |
|  | TURBOHAMMER NOZZLE W11 050 | 48872 | 1 | | | |
|  | TURBOHAMMER NOZZLE W11 070 | 48981 | 1 | | ○ | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | TURBOHAMMER NOZZLE W12 050 | 301001108 | 1 | | | |
| **ΦΙΛΤΡΑ ΕΙΣΑΓΩΓΗΣ** | | | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ | ○ |
|  | FILTER - WATER/SAND. SS | 4601431 | 1 | ○ | ○ | ○ |
|  | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ | ○ |
|  | SANDFILTER FOR WBT KIT | 106403165 | 1 | ○ | ○ | ○ |
|  | SANDFILTER RACKED KIT P5 PA/FA P6-P7FA | 106403142 | 1 | ○ | ○ | ○ |
|  | SUCTION FILTER 3 M HOSE | 61256 | 1 | ○ | ○ | ○ |
|  | WATER BRAKE TANK KIT | 106403144 | 1 | ○ | ○ | ○ |
|  | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ | ○ |
| **ΛΟΓΧΗ FLEXOPOWER** | | | | | | |
|  | FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD | 63251 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ | ○ |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΠΟΥ ΔΕΝ ΑΦΗΝΟΥΝ ΣΗΜΑΔΙΑ, DN10** | | | | | | |
|  | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 1 | ○ | ○ | ○ |
|  | 25 M 2 WIRE HOSE 3/8 FOOD | 1402007 | 1 | ○ | ○ | ○ |
|  | 30 M 2 WIRE HOSE 3/8 FOOD | 1402015 | 1 | ○ | ○ | ○ |
|  | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 1 | ○ | ○ | ○ |
|  | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 1 | ○ | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN10** | | | | | | |
|  | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 1 | ○ | ○ | ○ |
|  | 3 M 2 WIRE HOSE 3/8 DN10 | 1402932 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | 5 M 2 WIRE HOSE 3/8 DN10 | 1402940 | 1 | ○ | ○ | ○ |
|  | 25 M 2 WIRE HOSE 3/8 DN10 | 1402080 | 1 | ○ | ○ | ○ |
|  | 30 M 2 WIRE HOSE 3/8 DN10 | 1402098 | 1 | ○ | ○ | ○ |
|  | 50 M 2 WIRE HOSE 3/8 DN10 | 1402759 | 1 | ○ | ○ | ○ |
|  | HOSE DN10 10 M 2W 3/8X3/8 INCH | 6101766 | 1 | • | ○ | ○ |
|  | HP HOSE 3/8INCH 1M DN10. COMPL. | 1402916 | 1 | ○ | ○ | ○ |
|  | HP HOSE DN10 150DEG L15000mm | 1402064 | 1 | ○ | • | • |
|  | M 20 WIRE HOSE 3/8 DN10 | 1402072 | 1 | ○ | ○ | ○ |
| **ΣΥΣΤΗΜΑ ΣΥΝΔΕΣΗΣ ERGO** | | | | | | |
|  | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ | ○ |
|  | ERGO COUPLING KIT | 101119496 | 1 | • | • | • |
|  | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ | ○ |
|  | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ | ○ |
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 1 | ○ | ○ | ○ |
|  | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ | ○ |
| **ΕΞΟΠΛΙΣΜΟΣ ΑΠΟΦΡΑΞΕΩΝ** | | | | | | |
|  | DRAIN CLEANER 05 20M HOSE | 6401266 | 1 | | | |
|  | DRAIN CLEANER 06 20M HOSE | 6401268 | 1 | | | |
|  | DRAIN NOZZLE 05 3/8 | 2800084 | 1 | | | |
|  | DRAIN NOZZLE 06. 3/8 | 2800894 | 0 | | | |
|  | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | | | |
|  | PIPE CLEANING HOSE 4X20M | 301002491 | 0 | | | |
|  | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN12** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | 15 M 2 WIRE HOSE 1/2 DN12 | 4810213 | 1 | ○ | ○ | ○ |
| **ΠΕΡΙΣΤΡΟΦΙΚΕΣ ΒΟΥΡΤΣΕΣ** | | | | | | |
|  | BRISTLE. LONG | 6401431 | 1 | ○ | ○ | ○ |
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ | ○ |
|  | ROTARY BRUSH 055 1700MM | 6400019 | 1 | | | |
|  | ROTARY BRUSH 055 L800 MM | 6400018 | 1 | | | |
|  | ROTARY BRUSH 065 L1700 MM | 6400016 | 1 | | ○ | |
|  | ΜΠΡΟΥΤΖΙΝΗ ΤΡΙΧΑ, ΣΚΛΗΡΗ | 6401433 | 0 | ○ | ○ | ○ |
| **Special Lance** | | | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ | ○ |
|  | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ | ○ |
| **Hose Reel** | | | | | | |
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | HOSE REEL COMPLETE | 106403143 | 1 | ○ | ● | ● |
|  | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | ○ | ○ |
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 1 | ○ | ○ | ○ |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 1 | ○ | | |
| **ΕΞΟΠΛΙΣΜΟΣ ΧΗΜΙΚΩΝ** | | | | | | |
|  | 03 INJECTOR COMPLETE | 6401247 | 1 | ○ | ○ | ○ |
|  | BOTTLE FOR FOAM SPRAYER 2 L | 106408164 | 1 | | | |
|  | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 2 | ○ | ○ | ○ |
|  | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR AGRESSIVE LQDS | 6401245 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR W BYPASS | 6401242 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | FOAM INJECTOR W BYPASS S. S | 6401243 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR STANDARD | 6401244 | 1 | ○ | ○ | ○ |
|  | FOAM INJECTOR STANDARD P8 | 106402248 | 1 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ | ○ |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | | ○ | |
| **ΤΟRNADO ΑΚΡΟΦΥΣΙΟ ΜΕ ΧΡΩΜΑΤΙΚΗ ΕΝΔΕΙΞΗ** | | | | | | |
|  | NOZZLE 0500 INDICATION RING YELLOW | 101119741 | 0 | | | |
|  | NOZZLE 0550 INDICATION RING NEONGREEN | 101119743 | 0 | | | |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 1 | | ○ | |
|  | NOZZLE 0700 INDICATION RING ORANGE | 101119748 | 1 | | • | |
|  | NOZZLE 1300 - INDICATION RING BROWN | 101119760 | 1 | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | NOZZLE 1500 INDICATION RING OLIVE | 101119762 | 0 | | | |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 1 | ○ | ○ | ○ |
|  | TORNADO NOZZLE 0475 | 301150005 | 0 | | | |
|  | TORNADO NOZZLE 0950 DARK ROSE | 101117655 | 1 | • | | • |
| **ΠΙΣΤΟΛΙΑ ΣΚΑΝΔΑΛΗΣ** | | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • | ○ |
|  | HIGH FLOW SPRAY HANDLE | 106404530 | 0 | • | • | • |
|  | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ | ○ |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ | • |
| **Other** | | | | | | |
|  | CRANE ROUNDSLING 1000KG 50CM | 106403160 | 1 | ○ | ○ | ○ |
|  | FRONT WHEEL KIT | 106403145 | 1 | ○ | ○ | ○ |
|  | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ | ○ |
| **ΚΟΝΤΕΣ ΛΟΓΧΕΣ** | | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ | ○ |
| **ΛΟΓΧΗ TURBOHAMMER** | | | | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0550 | 106402292 | 0 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0450 | 106402290 | 1 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 1 | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 1 | | • | |
|  | TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000 | 106403078 | 1 | ○ | | • |
|  | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | | |
| **ΛΟΓΧΗ TORNADO** | | | | | | |
|  | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ | ○ |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ | ○ |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | • | • | • |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ | ○ |
| **ΛΟΓΧΗ POWERSPEED VARIO** | | | | | | |
|  | POWERSPEED VARIO PLUS 770 BEND 0500 | 106403023 | 1 | | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0500 | 106403093 | 1 | | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0680 | 106403096 | 1 | | ○ | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0950 | 106403110 | 1 | ○ | | ○ |
| **ΛΟΓΧΗ UNIVERSAL** | | | | | | |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία


| Accessories | | Ref. no. | Min. required | MC 6P-170/1600 FA 400/3/50 EU | MC 6P-180/1300 FAXT 400/3/50 EU | MC 6P-170/1600 FAXT 400/3/50 EU |
|---|---|---|---|---|---|---|
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN8** | | | | | | |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | | | |
| **ΚΑΘΑΡΙΣΜΟΣ ΔΑΠΕΔΩΝ** | | | | | | |
|  | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | | ○ | |
|  | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | | ○ | |
|  | HYDROSCRUB S500 Ø500 W/O NOZZLES | 106403158 | 0 | ○ | ○ | ○ |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
| **Standard Nozzle 50° 1/8" NPT** | | | | | |
|  | HP NOZZLE 50070 1/8 | 5007 | 0 | | |
| **Special Nozzle** | | | | | |
|  | CONTAINER CLEANING NOZZLE | 15861 | 1 | ○ | ○ |
|  | NOZZLE FOR LONG LANCEJET 6-7 M | 2802696 | 1 | ○ | ○ |
|  | NOZZLE PROTECTION CAP PA | 18430 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | VARIO-NOZZLE CASING 1/8 | 5888 | 1 | ○ | ○ |
| **Hose and Connection** | | | | | |
|  | HOSE GUIDE COMPLETE | 101118105 | 0 | ○ | ○ |
|  | NILFISK BA VALVE COMP. GARDENA | 106411177 | 1 | ○ | ○ |
|  | NILFISK BA VALVE COMP. GEKA | 106411179 | 1 | ○ | ○ |
|  | NILFISK BA VALVE COMP. NITO | 106411178 | 1 | ○ | ○ |
|  | NILFISK BA VALVE WO COUPLER | 106411184 | 1 | ○ | ○ |
|  | WATER INLET HOSE 3/4 P/ | 6465 | 1 | ○ | ○ |
| **High Pressure Male Coupling** | | | | | |
|  | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159 | 1 | ○ | ○ |
|  | ADAPTOR 3/8 INCH MALE FOR HOSE | 6401067 | 1 | ○ | ○ |
|  | ADAPTOR KEW GUN TO WAP ACCESS. | 66161 | 0 | ○ | ○ |
|  | GEKA COUPLING HOSE END 3/4 | 1311 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659 | 1 | ○ | ○ |
|  | NITO COUPLING HOSE END 1 | 1604669 | 1 | ○ | ○ |
| **High Pressure Female Coupling** | | | | | |
|  | ADAPTER KEW QUICK COUPLING FEMALE 3/8 | 66160 | 1 | ○ | ○ |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5 | 66162 | 1 | ○ | ○ |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718 | 1 | ○ | ○ |
|  | HOSE NOZZLE 20R3/4 | 61369 | 1 | • | • |
|  | QUICK COUPLING 3/4 W/GASKET | 1602945 | 1 | ○ | ○ |
| **Standard Nozzle 25° 1/8" NPT** | | | | | |
|  | HP NOZZLE 25045 1/8 | 8528 | 1 | | |
|  | HP NOZZLE 25050 1/8 INCH NPT | 7813 | 1 | | |
|  | HP NOZZLE 25065 1/8 INCH NPT | 7815 | 1 | | |
|  | HP NOZZLE 25070 1/8 INCH NPT | 2507 | 0 | | |
| **Standard Nozzle 0° 1/8" NPT** | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | HP-NOZZLE 0050 1/8 | 17387 | 1 | | |
|  | HP-NOZZLE 0070 1/8 | 7820 | 0 | | |
| **Abrasive Blasting** | | | | | |
|  | ARMEX-POWDER | 5218617 | 1 | ○ | ○ |
|  | LANCE SOFTBLASTING W. NOZZLE 05 | 6401233 | 1 | | |
|  | LANCE WITH RUBBER FLAT NOZZLE 05 | 6401364 | 1 | | |
|  | LANCE WITH RUBBER FLAT NOZZLE 06 | 6401365 | 1 | ○ | ○ |
|  | SAND PLUGER AND HOSE VSB | 6400375 | 1 | | ○ |
|  | SUPER BLAST 25KG | 8379 | 1 | ○ | ○ |
| **ΒΟΥΡΤΣΕΣ ΚΑΘΑΡΙΣΜΟΥ** | | | | | |
|  | BRUSH INSERT | 10356 | 1 | ○ | ○ |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202 | 1 | ○ | ○ |
|  | WASH BRUSH L1550 MM | 6400088 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | WASH BRUSH L2350 MM | 6400087 | 1 | ○ | ○ |
| **Liquid Sprayer** | | | | | |
|  | 8P PRESPRAY UNIT | 25598 | 1 | ○ | ○ |
|  | LIQUID SPRAYER 5S | 7110005 | 1 | ○ | ○ |
|  | LIQUID SPRAYER 10SP | 7110010 | 1 | ○ | ○ |
|  | LIQUID SPRAYER 20S | 7110020 | 1 | ○ | ○ |
| **Standard Nozzle 15° 1/8" NPT** | | | | | |
|  | HP NOZZLE 15050 1/8 | 41394 | 0 | | |
| | | | | | |
|  | TURBOHAMMER NOZZLE W11 050 | 48872 | 1 | | |
|  | TURBOHAMMER NOZZLE W11 070 | 48981 | 1 | | |
|  | TURBOHAMMER NOZZLE W12 050 | 301001108 | 1 | | |
| **ΦΙΛΤΡΑ ΕΙΣΑΓΩΓΗΣ** | | | | | |
|  | CARTRIDGE FILTER REPLACEM. 50 uM | 1104041 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | FILTER - WATER/SAND. SS | 4601431 | 1 | ○ | ○ |
|  | SAND FILTER 50MICRON UNIVERSAL | 1604461 | 1 | ○ | ○ |
|  | SANDFILTER FOR WBT KIT | 106403165 | 1 | ○ | ○ |
|  | SANDFILTER RACKED KIT P5 PA/FA P6-P7FA | 106403142 | 1 | ○ | ○ |
|  | SUCTION FILTER 3 M HOSE | 61256 | 1 | ○ | ○ |
|  | WATER BRAKE TANK KIT | 106403144 | 1 | ○ | ○ |
|  | WATER FILTER COMPLETE | 107145802 | 0 | ○ | ○ |
| **ΛΟΓΧΗ FLEXOPOWER** | | | | | |
|  | FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD | 63251 | 0 | ○ | ○ |
|  | FLEXOPOWER PLUS 960 BEND W/O NOZZLE | 106402282 | 1 | ○ | ○ |
|  | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE | 106408229 | 0 | ○ | ○ |
|  | FLEXOPOWER PLUS 990 BEND W/O NOZ. | 106402281 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE | 106408228 | 0 | ○ | ○ |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0 | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΠΟΥ ΔΕΝ ΑΦΗΝΟΥΝ ΣΗΜΑΔΙΑ, DN10** | | | | | |
|  | 20 M 2 WIRE HOSE 3/8 FOOD | 1401991 | 1 | ○ | ○ |
|  | 25 M 2 WIRE HOSE 3/8 FOOD | 1402007 | 1 | ○ | ○ |
|  | 30 M 2 WIRE HOSE 3/8 FOOD | 1402015 | 1 | ○ | ○ |
|  | HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD | 6101767 | 1 | • | ○ |
|  | HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD | 1401983 | 1 | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN10** | | | | | |
|  | 2 M 2 WIRE HOSE 3/8 DN10 | 1402924 | 1 | ○ | ○ |
|  | 3 M 2 WIRE HOSE 3/8 DN10 | 1402932 | 1 | ○ | ○ |
|  | 5 M 2 WIRE HOSE 3/8 DN10 | 1402940 | 1 | ○ | ○ |
|  | 25 M 2 WIRE HOSE 3/8 DN10 | 1402080 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | 30 M 2 WIRE HOSE 3/8 DN10 | 1402098 | 1 | ○ | ○ |
|  | 50 M 2 WIRE HOSE 3/8 DN10 | 1402759 | 1 | ○ | ○ |
|  | HOSE DN10 10 M 2W 3/8X3/8 INCH | 6101766 | 1 | ○ | ○ |
|  | HP HOSE 3/8INCH 1M DN10. COMPL. | 1402916 | 1 | ○ | ○ |
|  | HP HOSE DN10 150DEG L15000mm | 1402064 | 1 | ○ | ○ |
|  | M 20 WIRE HOSE 3/8 DN10 | 1402072 | 1 | ○ | ○ |
| **ΣΥΣΤΗΜΑ ΣΥΝΔΕΣΗΣ ERGO** | | | | | |
|  | COUPLING - FEMALE/Q-COUPL 3/8 INCH | 106402075 | 1 | ○ | ○ |
|  | ERGO COUPLING KIT | 101119496 | 1 | • | • |
|  | HIGH PRESSURE COUPLINGS KIT | 101119499 | 1 | ○ | ○ |
|  | Nippel F. Q-COUPL. 3/8 INCH | 1600493 | 1 | ○ | ○ |
|  | NIPPLE F/QUICK COULING 3/8 SS | 1603101 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | NIPPLE FOR SPRAY LANCE STAN.L | 1609325 | 1 | ○ | ○ |
|  | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075 | 0 | ○ | ○ |
| **ΕΞΟΠΛΙΣΜΟΣ ΑΠΟΦΡΑΞΕΩΝ** | | | | | |
|  | DRAIN CLEANER 05 20M HOSE | 6401266 | 1 | | |
|  | DRAIN CLEANER 06 20M HOSE | 6401268 | 1 | | ○ |
|  | DRAIN NOZZLE 05 3/8 | 2800084 | 1 | | |
|  | DRAIN NOZZLE 06. 3/8 | 2800894 | 0 | | ○ |
|  | PIPE CLEANING HOSE 4X10M | 301002490 | 1 | | ○ |
|  | PIPE CLEANING HOSE 4X20M | 301002491 | 0 | | ○ |
|  | PIPE CLEANING HOSE 4X30M | 301002492 | 1 | | |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN12** | | | | | |
|  | 15 M 2 WIRE HOSE 1/2 DN12 | 4810213 | 1 | ○ | ○ |
| **ΠΕΡΙΣΤΡΟΦΙΚΕΣ ΒΟΥΡΤΣΕΣ** | | | | | |
|  | BRISTLE. LONG | 6401431 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | NYLON. BRISTLE FOR ROTARY | 6401432 | 1 | ○ | ○ |
|  | ROTARY BRUSH 055 1700MM | 6400019 | 1 | | ○ |
|  | ROTARY BRUSH 055 L800 MM | 6400018 | 1 | | ○ |
|  | ROTARY BRUSH 065 L1700 MM | 6400016 | 1 | | |
|  | ΜΠΡΟΥΤΖΙΝΗ ΤΡΙΧΑ, ΣΚΛΗΡΗ | 6401433 | 0 | ○ | ○ |
| **Special Lance** | | | | | |
|  | CURVED LANCE L1090 MM | 6402016 | 1 | ○ | ○ |
|  | LANCE SINGLE 1500MM W/O NOZZLE | 6401193 | 1 | ○ | ○ |
|  | UNDER CARRIAGE WASHER 40065 | 6400036 | 1 | ○ | ○ |
| **Hose Reel** | | | | | |
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN | 6401094 | 1 | ○ | ○ |
|  | HOSE REEL COMPLETE | 106403143 | 1 | ○ | ● |
|  | HOSE REEL RETRACTABLE SS W/O HOSE | 106403168 | 0 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | HOSE TROLLEY UP TO 50 M 3/8 | 6400170 | 1 | ○ | ○ |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 1 | ○ | ○ |
| **ΕΞΟΠΛΙΣΜΟΣ ΧΗΜΙΚΩΝ** | | | | | |
|  | 03 INJECTOR COMPLETE | 6401247 | 1 | ○ | ○ |
|  | BOTTLE FOR FOAM SPRAYER 2 L | 106408164 | 1 | ○ | ○ |
|  | DETERGENT BOTTLE 2.5 L | 107141635 | 0 | ○ | ○ |
|  | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 2 | ○ | ○ |
|  | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 1 | ○ | ○ |
|  | FOAM INJECTOR AGRESSIVE LQDS | 6401245 | 1 | ○ | ○ |
|  | FOAM INJECTOR W BYPASS | 6401242 | 1 | ○ | ○ |
|  | FOAM INJECTOR W BYPASS S. S | 6401243 | 1 | ○ | ○ |
|  | FOAM INJECTOR STANDARD | 6401244 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | FOAM INJECTOR STANDARD P8 | 106402248 | 1 | ○ | ○ |
|  | FOAM LANCE COMPLETE L600 MM | 6404368 | 1 | ○ | ○ |
|  | FOAM LANCE COMPLETE L1200 MM | 6404369 | 1 | ○ | ○ |
|  | NILFISK FOAMSPRAYER VARIO HF 0950 | 106408236 | 0 | | ○ |
| **TORNADO ΑΚΡΟΦΥΣΙΟ ΜΕ ΧΡΩΜΑΤΙΚΗ ΕΝΔΕΙΞΗ** | | | | | |
|  | NOZZLE 0500 INDICATION RING YELLOW | 101119741 | 0 | | |
|  | NOZZLE 0550 INDICATION RING NEONGREEN | 101119743 | 0 | | • |
|  | NOZZLE 0680 INDICATION RING GREY | 101119747 | 1 | | |
|  | NOZZLE 0700 INDICATION RING ORANGE | 101119748 | 1 | | |
|  | NOZZLE 1300 - INDICATION RING BROWN | 101119760 | 1 | • | |
|  | NOZZLE 1500 INDICATION RING OLIVE | 101119762 | 0 | | |
|  | NOZZLE PROTECTION F. TORNADOL. | 106402425 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | TORNADO NOZZLE 0475 | 301150005 | 0 | | |
|  | TORNADO NOZZLE 0950 DARK ROSE | 101117655 | 1 | | |
| **ΠΙΣΤΟΛΙΑ ΣΚΑΝΔΑΛΗΣ** | | | | | |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL | 106403122 | 1 | • | • |
|  | HIGH FLOW SPRAY HANDLE | 106404530 | 0 | | • |
|  | REP. KIT SWIVEL JOINT | 101119484 | 1 | ○ | ○ |
|  | SPRAY HANDLE W. SWIVEL LOCK | 106402190 | 1 | ○ | ○ |
| **Other** | | | | | |
|  | CRANE ROUNDSLING 1000KG 50CM | 106403160 | 1 | ○ | ○ |
|  | FRONT WHEEL KIT | 106403145 | 1 | ○ | ○ |
|  | SIDE BAR COMPL. | 106402110 | 1 | ○ | ○ |
| **ΚΟΝΤΕΣ ΛΟΓΧΕΣ** | | | | | |
|  | DOUBLE LANCE W/O NOZZLE 90MM | 106402150 | 1 | ○ | ○ |
|  | SINGLE LANCE W/O NOZZLE 90MM | 106402151 | 1 | ○ | ○ |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
| **ΛΟΓΧΗ TURBOHAMMER** | | | | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0550 | 106402292 | 0 | | • |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0450 | 106402290 | 1 | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500 | 106402291 | 1 | | |
|  | TURBOHAMMER PLUS 1125 STRAIGHT W11 0700 | 106402294 | 1 | | |
|  | TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000 | 106403078 | 1 | | |
|  | TURBOHAMMER PLUS 1130 STRAIGHT W12 0500 | 106403003 | 1 | | |
| **ΛΟΓΧΗ TORNADO** | | | | | |
|  | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 1 | ○ | ○ |
|  | TORNADO PLUS 1000 BEND W/O NOZZLE | 106403011 | 1 | ○ | ○ |
|  | TORNADO PLUS 1120 BEND W/O NOZZLE | 106403010 | 1 | • | • |
|  | TORNADO PLUS 2080 BEND W/O NOZZLE | 106403012 | 1 | ○ | ○ |
| **ΛΟΓΧΗ POWERSPEED VARIO** | | | | | |
|  | POWERSPEED VARIO PLUS 770 BEND 0500 | 106403023 | 1 | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| | Accessories | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | POWERSPEED VARIO PLUS 1090 BEND 0500 | 106403093 | 1 | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0680 | 106403096 | 1 | | |
|  | POWERSPEED VARIO PLUS 1090 BEND 0950 | 106403110 | 1 | | |
| **ΛΟΓΧΗ UNIVERSAL** | | | | | |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT | 106403032 | 1 | ○ | ○ |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT | 106403033 | 1 | ○ | ○ |
|  | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT | 106403031 | 1 | ○ | ○ |
|  | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT | 106403030 | 1 | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 1 | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ | 106403035 | 1 | ○ | ○ |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 1 | ○ | ○ |
| **ΛΑΣΤΙΧΑ ΥΨΗΛΗΣ ΠΙΕΣΗΣ, DN8** | | | | | |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0 | | • |
| **ΚΑΘΑΡΙΣΜΟΣ ΔΑΠΕΔΩΝ** | | | | | |

All information provided in this document is subject to change without prior notice

## Κορυφαίες επιδόσεις , διάρκεια ζωής και εργονομία

| Accessories | | Ref. no. | Min. required | MC 6P-100/1600 FFA 400/3/50 EU | MC 6P-200/1100 FAXT 400/3/50 EU |
|---|---|---|---|---|---|
|  | HYDROSCRUB P400 W/O NOZZLES | 106403157 | 0 | | ○ |
|  | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0 | ○ | ○ |
|  | HYDROSCRUB S500 Ø500 W/O NOZZLES | 106403158 | 0 | ○ | ○ |

All information provided in this document is subject to change without prior notice